REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instruction maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or a					rching existing data sources, gathering and	
maintaining the data needed, ar	d completing and reviewing	this collection of information. S	Send comments regarding this burd touarters Services, Directorate for	len estimate or any othe Information Operations	r aspect of this collection of information, and Reports (0704-0188). 1215 Jefferson Davis	
Lieburg Cuite 1204 Adinaton	V/A 22202_4202 Reenand	ente chould he aware that notwi	thstanding any other provision of la	aw. no person shall de si	ubject to any penalty for failing to comply with a	
collection of information if it does	s not display a currently vali	d OMB control number. PLEAS  2. REPORT TYPE	E DO NOT RETURN YOUR FOR	M TO THE ABOVE ADD	DATES COVERED (From - To)	
1. REPORT DATE (DD-	MIM-TTTT)	Technical Abstract		0.1	DATES GOVERNED (From 10)	
6 February 2003					5a, CONTRACT NUMBER	
4. TITLE AND SUBTITLE						
				5b	. GRANT NUMBER	
An Automated Fluid-Structural Interaction Analysis of a Large Segmented Solid						
Rocket Motor					PROGRAM ELEMENT NUMBER	
Rocket Motor				1		
C AUTHOR(C)				5d	. PROJECT NUMBER	
6. AUTHOR(S)					1011	
Daine W. Day, Ounghon Wong, Doron Issae					5e. TASK NUMBER	
Brian W. Rex, Qunzhen Wang, Daron Isaac					00TN	
					WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)					8. PERFORMING ORGANIZATION	
					PORT NUMBER	
ATK Thiokol Propulsion						
Brigham City, Utah					AFRL-PR-ED-AB-2003-034	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)					10. SPONSOR/MONITOR'S	
3. 01 O110011070			` '	AC	CRONYM(S)	
Air Force Research I	aboratory (AFMC	<u>'</u> )				
AFRL/PRS					. SPONSOR/MONITOR'S	
					NUMBER(S)	
5 Pollux Drive Edwards AFB CA 93524-7048					AFRL-PR-ED-AB-2003-034	
Edwards AFB CA 95524-7046						
12. DISTRIBUTION / A	AILABILITY STATI	EMENT				
Approved for public	release; distributio	n unlimited.				
13. SUPPLEMENTARY	NOTES					
14. ABSTRACT						
			•	• •	* •	
					· ·	
				ハハフハ	700 01-	
			/	1111511	5JN N/Z	
			<u> </u>	VUJU.	320 043	
			2	- ·		
15. SUBJECT TERMS						
			47 LIMITATION	10 MIMPED	19a. NAME OF RESPONSIBLE	
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	PERSON	
			OF ABSTRACT	OF PAGES	Sheila Benner	
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (include area code)	
			A	1	(661) 275-5693	
Unclassified	Unclassified	Unclassified			1	
					Standard Form 298 (Rev. 8-98 Prescribed by ANSI Std. 239.18	
					r resorrised by Artor Sta. 200.10	

MEMORANDUM FOR PRS (Contractor Publication)

FROM: PROI (STINFO)

10 Feb 2003

SUBJECT: Authorization for Release of Technical Information, Control Number: AFRL-PR-ED-AB-2003-034
Brian W. Rex, Dr. Qunzhen Wang, and Daron Isaac (all ATK Thiokol Propulsion) "An Automated Fluid-Structural Interaction Analysis of a Large Segmented Solid Rocket Motor" (abstract only)

AIAA/ASME/ASEE Joint Propulsion Conference (Huntsville, AL, 20-23 Jul 2003) (<u>Deadline: none listed</u>) (Statement A)

## An Automated Fluid-Structural Interaction Analysis of a Large Segmented Solid Rocket Motor

Brian W. Rex, Dr. Qunzhen Wang, and Daron Isaac

ATK Thiokol Propulsion Brigham City, Utah

## **ABSTRACT**

A new analysis procedure has been used to evaluate the propellant grain/flow stability of a new, five segment Space Shuttle solid rocket booster. The fluid-structural interaction (FSI) analysis of the ETM-3 motor used PYTHON, a powerful programming language, and FEM BUILDER, a pre- and post processor developed by ATK Thiokol Propulsion, to automatically couple the ABAQUS structural solver with FLUENT, the CFD solver. This iterative process automatically used the results of one solver as the inputs to the other solver until convergence to a solution was obtained.

The ETM-3 motor was basically an RSRM motor with an additional center segment added. The additional segment and greater nozzle diameter increased mass flow and mach number in the motor. Because of this harsher flow environment, it was necessary to conduct a detailed FSI analysis to ensure propellant grain stability against boot-strapping.

This paper details the FSI analysis work done for ETM-3. The analyses conducted and documented in this report assumed linear elastic material behavior and steady state fluid behavior without time response in either the structural or fluid models.

© 2003, ATK Thiokol Propulsion, a division of ATK Aerospace Company

Approved for Public Release
Distribution Unlimited